

# MORETTIDESIGN

Report No. K30622021Z1

Verification of the requirements according to:

COMMISSION REGULATION (EU) 2015/1185

(Ecodesign Directive 2009/125/EC)

and

COMMISSION DELEGATED REGULATION (EU) 2015/1186

(Energy Labelling Directive 2010/30/EU)

Type:

Solid fuel local space heaters:

Models:

ALADINO ALL STYLE AQUA 16

ALADINO GLASS AQUA 16

ALADINO STYLE AQUA 16

CLESSIDRA ALL STYLE AQUA 16

CLESSIDRA GLASS AQUA 16

DOLBY AQUA 16

ELEGANCE ALL STYLE AQUA 16

ELEGANCE GLASS AQUA 16

ELEGANCE STYLE AQUA 16

ERGONOMIC GLASS AQUA 16

AQUA CLESSIDRA STONE 12

CLESSIDRA STYLE AQUA 12

CLESSIDRA STONE AQUA 16

CLESSIDRA STYLE AQUA 16

0

0

0

0

0

0

0

0

0

0

0

0

0

0

Trademark:

**MORETTI DESIGN**

Company:

**MORETTI FIRE S.r.l.**

2020

# MORETTI DESIGN

Test Report according the Commission Regulation (EU) 2015/1185 – Ecodesign  
and the Commission Delegated Regulation (EU) 2015/1186 – Energy Labelling

Appliance manufacturer / contractor		MORETTI FIRE S.r.l. Contrada Tesino, 50 63065 Ripatransone (AP) - Italy			
Trademark:		MORETTI DESIGN			
<p>Models:</p> <p>ALADINO ALL STYLE AQUA 16</p> <p>ALADINO GLASS AQUA 16</p> <p>ALADINO STYLE AQUA 16</p> <p>CLESSIDRA ALL STYLE AQUA 16</p> <p>CLESSIDRA GLASS AQUA 16</p> <p>DOLBY AQUA 16</p> <p>ELEGANCE ALL STYLE AQUA 16</p> <p>ELEGANCE GLASS AQUA 16</p> <p>ELEGANCE STYLE AQUA 16</p> <p>ERGONOMIC GLASS AQUA 16</p> <p>AQUA CLESSIDRA STONE 12</p> <p>CLESSIDRA STYLE AQUA 12</p> <p>CLESSIDRA STONE AQUA 16</p> <p>CLESSIDRA STYLE AQUA 16</p>					
Type of construction:		Pellet stoves in acc. with EN 14785:2006			
Fuel:		Compressed wood pellets class A1 acc. to EN17225-2, Ø 6 mm, Lmax 30 mm			
Nominal heat output (P <sub>nom</sub> )		15,8	kW	Direct:	3,8 kW
				Indirect:	12 kW
Minimum heat output (P <sub>min</sub> )		5,6	kW	Direct:	1,3 kW
				Indirect:	4,3 kW
Reference type test report:					
<p>out in a test laboratory equipped in accordance with the EN 14785:2006. The test results were reviewed by the impartial test centre of TÜV Rheinland Energy GmbH.</p> <p>Test results: the requirements of the implementing Directives 2009/125/EC and 2010/30/EU for the appliance are fulfilled with the following values:</p>					
Seasonal space heating energy					
Energy efficiency class					
Ripatransone		MORETTI FIRE S.r.l. Contrada Tesino, 50 63065 Ripatransone (AP) - Italy			
Assessor:		Report released after review:			

# MORETTIDESIGN

## 1 Task

The Test Centre for Energy Appliances was instructed to execute the measurements and calculations on the appliance ALADINO GLASS AQUA 12 according to the Commission Regulation (EU) 2015/1185 and the Commission Delegated Regulation (EU) 2015/1186.

The tests were carried out in the laboratory of:

TÜV Rheinland Energy GmbH /CMC Centro Misure Compatibilità S.r.l. in Thiene (Italy).

Test details on the reference initial type testing report K30622021Z1 (EN 14785:2006)

## 2 Description of the appliances

Residential room sealed heating appliances fired by wood pellets without water heat exchanger for domestic central heating system. The flue discharge for pellet operation is fan assisted.

The stoves are equipped with an automatic ignition. All the models share the same basic construction of the tested one (the stove ALADINO GLASS AQUA 12 ) regarding the combustion air inlet, the dimensions and the shape of combustion chamber and the flueways. The only difference between each model is related to the external claddings.

The stove ALADINO GLASS AQUA 12 has been chosen from the manufacturer as representative model of the family and it may be operated with convection air fan on/off

See the reference testing report K30622021Z1 for further details.

### Control features

#### Room temperature control

Single stage heat output, no room temperature control	No
Two or more manual stages, no temperature control	No
With mechanic thermostat room temperature control	No
With electronic room temperature control	No
With electronic room temperature control plus day timer	No
With electronic room temperature control plus week timer	Yes

#### Controls for indoor heating comfort

Room temperature control with presence detection	No
Room temperature control with open window detection	No
With distance control option	Yes

# MORETTIDESIGN

## 3 Test data

Working conditions	Description	Parameter	Result	Unit
Nominal heat output	Useful efficiency at nominal heat output	$\eta_{th,nom}$	95,80	%
	Nominal heat output	$P_{nom}$	15,8	kW
	Electric power requirement at nominal heat output*	$el_{max}$	80	W
	Particulate matter emissions**	<b>PM</b>	14	mg/m <sup>3</sup>
	Organic gaseous compounds emissions**	<b>OGC</b>	2	
	Carbon monoxide emissions**	<b>CO</b>	131	
	Nitrogen oxides emissions**	<b>Nox</b>	135	
Minimum heat output	Useful efficiency at minimum heat output	$\eta_{th,min}$	95,00	%
	Minimum heat output	$P_{min}$	5,6	kW
	Electric power requirement at minimum heat output*	$el_{min}$	26	W
	Particulate matter emissions**	<b>PM</b>	24	mg/m <sup>3</sup>
	Organic gaseous compounds emissions**	<b>OGC</b>	4	
	Carbon monoxide emissions**	<b>CO</b>	175	
	Nitrogen oxides emissions**	<b>Nox</b>	129	
Standby	Standby mode power consumption	$el_{sb}$	3,8	W

\* average values, measured according to EN15456:2008.

The electrical power data in operation are obtained:

- for the nominal heat output, with the convention air fan on;
- for part load heat output with the convention air fan off;

\*\* values standardised to a dry flue gas basis at 13 % oxygen and conditions at 273 K and 1013 mbar.

## 4 Test results

Seasonal space heating energy efficiency in active mode		$\eta_{son}$	93,14%	%
Contributions of controls of indoor heating comfort (mutually exclusive temperature controls)		F(2)	7%	%
Contributions of controls of indoor heating comfort		F(3)	1%	%
Negative contribution to the seasonal space heating energy efficiency by auxiliary electricity consumption		F(4)	1%	%
Negative contribution to the energy efficiency index by energy consumption of a permanent pilot flame		F(5)	0%	%
Biomass label factor		BLF	1,45	
Up to 1/1/2022	Seasonal space heating energy efficiency	$\eta_s$	93,14%	%
	Energy efficiency index	EEl	136,25	-
	Energy efficiency class		A++	-
From 1/1/2022	Seasonal space heating energy efficiency	$\eta_s$	85%	%
	Energy efficiency index	EEl	128,25	-
	Energy efficiency class		A+	-



# MORETTIDESIGN

## 6 Statement of test results

The local space heaters with models:

ALADINO ALL STYLE AQUA 16  
ALADINO GLASS AQUA 16  
ALADINO STYLE AQUA 16  
CLESSIDRA ALL STYLE AQUA 16  
CLESSIDRA GLASS AQUA 16  
DOLBY AQUA 16  
ELEGANCE ALL STYLE AQUA 16  
ELEGANCE GLASS AQUA 16  
ELEGANCE STYLE AQUA 16  
ERGONOMIC GLASS AQUA 16  
AQUA CLESSIDRA STONE 12  
CLESSIDRA STYLE AQUA 12  
CLESSIDRA STONE AQUA 16  
CLESSIDRA STYLE AQUA 16

of the company:

MORETTI FIRE S.r.l.

fulfil and correspond to the requirements of the Commission Regulation (EU) 2015/1185 with regard to ecodesign requirements for local space heaters and achieved a seasonal space heating energy efficiency of:

**93,1%**

From 1/1/2022

**85,1%**

that corresponds to the energy efficiency class:

**A++**

From 1/1/2022

**A+**

in accordance with Annex II Energy Efficiency Classes table 1 of the Commission Delegated Regulation (EU) 2015/1186

The evaluation of the results of this report with respect of conformity with the related commission regulations (2015/1185 and 2015/1186) is only a part of the conformity assessment to fulfil the Ecodesign (Directive 2009/125/EC) and Energy Labelling (Directive 2010/30/EU) prescriptions

# MORETTIDESIGN

(IT) SCHEDA PRODOTTO (EN) PRODUCT DATA SHEET (DE) PRODUKTDATENBLATT (FR) FICHE DE PRODUIT (ES) FICHA DE PRODUCTO (PT) FICHA DO PRODUTO (NL) PRODUCTKAART		(PL) KARTA PRODUCTU (CZ) INFORMAČNÍ LIST VÝROBKU (SK) INFORMAČNÝ LIST VÝROBKU (RO) FIȘA PRODUSULUI (HU) TERMÉKISMERTETŐ ADATLAP (SL) PODATKOVNI LIST IZDELKA (HR) INFORMACIJSKI LIST PROIZVODA		(GR) ΔΕΛΤΙΟ ΠΡΟΪΟΝΤΟΣ (BG) ПРОДУКТОВ ФИШ (LT) GAMINIO VARDINIŲ PARAMETRŲ LENTELĖ (ET) TOOTEKIRJELDUS (DK) PRODUKTBLAD (SE) INFORMATIONSBLAG	
EU 2015 / 1186					
(IT) Marchio (EN) Trademark (DE) Marke (FR) Marque (ES) Marca (PT) Marca (NL) Merk (PL) Marka (CZ) Značka (SK) Značka		(RO) Marca (HU) Márka (SL) Blagovna Znamka (HR) Marka (GR) Μάρκα (BG) Марка (LT) Ženklas (ET) Kaubamärk (DK) Mærke (SE) Märke		MORETTIDESIGN	
(IT) Modello (EN) Model (DE) Modell (FR) Modèle (ES) Modelo (PT) Modelo (NL) Model (PL) Model (CZ) Model (SK) Model		(RO) Model (HU) Modell (SL) Model (HR) Model (GR) Μοντέλο (BG) Модел (LT) Modelis (ET) Mudel (DK) Model (SE) Modell		ALADINO ALL STYLE AQUA 16	AQUA CLESSIDRA STONE 12
				ALADINO GLASS AQUA 16	CLESSIDRA STYLE AQUA 12
				ALADINO STYLE AQUA 16	CLESSIDRA STONE AQUA 16
				CLESSIDRA ALL STYLE AQUA 16	CLESSIDRA STYLE AQUA 16
				CLESSIDRA GLASS AQUA 16	
				DOLBY AQUA 16	
				ELEGANCE ALL STYLE AQUA 16	
				ELEGANCE GLASS AQUA 16	
				ELEGANCE STYLE AQUA 16	
				ERGONOMIC GLASS AQUA 16	
(IT) Classe di efficienza energetica		(RO) Clasa de eficiență energetică		A++	
(EN) Energy efficiency class		(HU) Energiahatékonyság osztály			
(DE) Energieeffizienzklasse		(			



(IT)	Potenza termica indiretta	(RO)	Puterea térmica indirecta	<b>12</b>
(EN)	Indirect heat output	(HU)	Közvetett hőteljesítmény	
(DE)	Indirekte Wärmeleistung	(SL)	Posredna toplotna moč	
(FR)	Puissance thermique indirecte	(HR)	Neizravna toplinska snaga	
(ES)	Potencia térmica indirecta	(GR)	Έμμεση Θερμική Ισχύς	
(PT)	Potência térmica indireta	(BG)	Индиректна топлинна мощност	
(NL)	Indirecte warmteafgifte	(LT)	Netiesioginė šiluminė galia	
(PL)	Pośrednia moc cieplna	(ET)	Kaudne soojusvõimsus	
(CZ)	Nepřímý tepelný výkon	(DK)	Indirekte termisk effekt	
(SK)	Nepriamy tepelný výkon	(SE)	Indirekt värmeeffekt	
(IT)	Indice di efficienza energetica	(RO)	Indicele de eficiență energetică	<b>136,25</b>
(EN)	Energy efficiency index	(HU)	Energiahatékonisági mutató	
(DE)	Energieeffizienzindex	(SL)	Indeks energetske učinkovitosti	
(FR)	Indice d'efficacité énergétique	(HR)	Indeks energetske učinkovitosti	
(ES)	Índice de eficiencia energética	(GR)	Δείκτης ενεργειακής απόδοσης	
(PT)	Índice de eficiência energética	(BG)	Индекс на енергийна ефективност	<b>FROM 1/1/2022</b>
(NL)	Energie-efficiëntie-index	(LT)	Energijos efektyvumo indeksas	
(PL)	Współczynnik efektywności energetycznej	(ET)	Energiaatõhususe indeks	
		(DK)	Indeks energieffektivitet	
(CZ)	Index energetické účinnosti	(SE)	Energieeffektivitetsindex	
(SK)	Index energetickej účinnosti			<b>128,25</b>
(IT)	Efficienza utile a potenza termica nominale	(RO)	Eficiență energetică utilă la puterea termică nominală	
(EN)	Useful energy efficiency at nominal heat output	(HU)	Hasznos hatásfok névleges Hőteljesítményen	
(DE)	Brennstoff-Energieeffizienz Nennwärmeleistung	(SL)	Izkoristek energije pri nominalni toplotni moči	
(FR)	Rendement utile à la puissance thermique nominale	(HR)	Korisna energetska učinkovitost pri nazivnom toplinskom učinku	
(ES)	Eficiencia energética útil a la potencia termica nominal	(GR)	Απόδοση ισχύος χρήσιμη στην ονομαστική ισχύ	
(PT)	Eficiência energética útil com potência termica nominal	(BG)	Енергийна ефективност полезна за номиналната мощност	
(NL)	Nuttig rendement bij nominale	(LT)	Naudingasis efektyvumas esant nominaliai šiluminei galia	
(PL)	Sprawność użytkowa przy nominalnej mocy cieplnej	(ET)	Kasutegur nominaalsel soojusvõimsusel	
(CZ)	Užitečná energetická účinnost při jmenovitém tepelném výkonu	(DK)	Nyttevirkning ved nominel termisk effekt	
(SK)	Užitočná energetická účinnosť pri menovitom tepelnom výkone	(SE)	Nyttoverkningsgraden vid nominell värmeeffekt	
(IT)	Efficienza utile al carico minimo	(RO)	Eficiență energetică utilă la sarcină minimă	<b>95,80%</b>
(EN)	Useful energy efficiency at minimum load	(HU)	Hasznos hatásfok minimális terhelésen	
(DE)	Brennstoff-Energieeffizienz bei Mindestlast	(SL)	Izkoristek energije pri minimalni obremenitvi	
(FR)	Rendement utile à la puissance minimale	(HR)	Korisna energetska učinkovitost pri minimalnom opterećenju	
(ES)	Eficiencia energética útil a la carga mínima	(GR)	Αποτέλεσματική ενεργειακή απόδοση με ελάχιστο φορτίο	
(PT)	Eficiência energética útil à carga mínima	(BG)	Енергийна ефективност полезна за минималното натоварване	
(NL)	Efficiëntie nuttig voor der minimale last	(LT)	Naudingasis efektyvumas esant mažiausiai apkrovai	
(PL)	Sprawność użytkowa przy minimalnym mocy cieplnej	(ET)	Kasutegur minimaalsel koormusel	
				<b>95,00%</b>

(CZ)	Užitečná energetická účinnost při minimálním zatížení	(DK)	Nyttevirkning ved minimal belastning
(SK)	Užitočná energetická účinnosť pri minimálnom zaťažení	(SE)	Nyttoverkningsgraden vid minimibelastning

(FR)	CO à puissance nominale 13% O2 (%)	<b>0,025%</b>
(FR)	INDICE de PERFORMANCE ENVIRONNEMENTALE (I) < 2	<b>0,116</b>
(FR)	Poussière à puissance nominale (mg/m <sup>3</sup> - 13% O2)	<b>14</b>
(FR)	INSCRIT AU REGISTRE DE L'ADEME	<b>OUI</b>
(IT)	Rispettare le avvertenze e le indicazioni di installazione e manutenzione periodica riportate sul manuale di istruzioni.	
(EN)	Comply with the warnings and installation and maintenance instructions provided in the user manual.	
(DE)	Beachten sie die warnungen und hinweise betreffend die installation und regelmäßige wartung in den bedienungsanleitung.	
(FR)	Respecter les avertissements et les indications sur l'installation et l'entretien périodique fournis dans le manuel d'instructions.	
(ES)	Respete las advertencias y las indicaciones de instalación y mantenimiento periódico, detalladas en el manual de usuario.	
(PT)	Respeitar as advertências e as indicações de instalação e manutenção periódica referidas nos manual de instruções.	
(NL)	Neem de waarschuwingen en instructies voor installatie en periodiek onderhoud in acht zoals aangegeven in de hoofdstukken van de gebruiksaanwijzing.	
(PL)	Należy przestrzegać ostrzeżeń i wskazówek dotyczących instalacji i okresowej konserwacji podanych w instrukcji obsługi.	
(CZ)	Dodržujte varování a pokyny pro instalaci a pravidelnou údržbu, které jsou popsány v návodu k obsluze.	
(SK)	Dodržujte varovania a pokyny pre inštaláciu a pravidelnú údržbu, ktoré sú popísané opísané v návodu na obsluhu.	
(RO)	Respectați avertismentele și indicațiile privind instalarea și întreținerea periodică din manualul de instrucțiuni.	
(HU)	Kövesse a használati útmutató fejezetében közölt gyelmeztetéseket, beépítési utasításokat és az időszakos karbantartásra vonatkozó előírásait.	
(SL)	Upoštevajte opozorila in navodila za namestitev in redno vzdrževanje, navedena v poglavjih priročnika z navodili.	
(HR)	Poštivajte upozorenja i smjernice za ugradbu o periodično održavanje navedene u poglavljima ovog priručnika s uputama.	
(GR)	Τηρήστε τις προειδοποιήσεις και τις οδηγίες εγκατάστασης και συντήρησης στο εγχειρίδιο οδηγιών.	
(BG)	Спазвайте предупрежденията и инструкциите за монтаж и поддръжка в ръководството за експлоатация.	
(LT)	Vadovaukitės montavimo ir periodinės techninės priežiūros perspėjimais ir nurodymais, pateiktais instrukcijų vadovo skyriuose.	
(ET)	Järgige hoiatusi ning paigaldamise ja korrapärase hoolduse juhiseid, mis on toodud peatükkides kasutusjuhendis.	
(DK)	Overhold advarslerne og angivelserne for installation og vedligeholdelse, som angivet i brugsvejledningen.	
(SE)	Följ de anvisningar och indikationer för installation och periodiskt underhåll som beskrivs i bruksanvisningen.	